


Double acting cylinders - fixed eye




Item no.	D	AL	A	Stroke	I	G	G1	IT	M	S	P	R	F	KG
DF25/16-050				50	160									1,00
DF25/16-100	30	25	16	100	210									1,20
DF25/16-150				150	260	33	22	31	12,1	25	25	35	1/4"	1,40
DF25/16-200				200	310									1,70
DF32/20-050				50	205									1,70
DF32/20-100				100	255									2,10
DF32/20-150				150	305									2,40
DF32/20-200				200	355									2,80
DF32/20-250	42	32	20	250	405	33	35	51	16,2	30	35	40	1/4"	3,10
DF32/20-300				300	455									3,50
DF32/20-400				400	555									4,20
DF32/20-500				500	655									4,80
DF32/20-600				600	755									5,60
DF32/20-700				700	855									6,30
DF40/25-100				100	270									3,00
DF40/25-150				150	320									3,40
DF40/25-200				200	370									3,90
DF40/25-250				250	420									4,40
DF40/25-300				300	470									4,80
DF40/25-400	50	40	25	400	570	40	38	65	20,25	35	40	50	3/8"	5,80
DF40/25-500				500	670									6,70
DF40/25-600				600	770									7,60
DF40/25-700				700	870									8,60
DF40/25-800				800	970									9,50
DF40/25-100				1000	1170									11,30




TAON Hydraulic Components ApS are specialists in hydraulic solutions, components and tool.

TAON Hydraulic Components ApS • +45 24 48 84 80 • info@taon.dk • www.taon.dk


© TAON Hydraulic will always help you find the best solution.



Item no.	D	AL	A	Stroke	I	G	G1	IT	M	S	P	R	F	KG
DF50/30-100				100	300									4,40
DF50/30-150				150	350									5,00
DF50/30-200				200	400									5,60
DF50/30-250				250	450									6,20
DF50/30-300				300	500									6,90
DF50/30-400	60	50	30	400	600	43	42	85	25,25	40	45	60	3/8"	8,10
DF50/30-500				500	700									9,30
DF50/30-600				600	800									10,50
DF50/30-700				700	900									11,80
DF50/30-800				800	1000									13,00
DF50/30-900				900	1100									14,20
DF50-30-1000				1000	1200									15,50
DF60/30-100				100	300									5,60
DF60/30-150				150	350									6,30
DF60/30-200				200	400									7,00
DF60/30-250				250	450									7,70
DF60/30-300				300	500									8,30
DF60/30-350	70	60	30	350	550	50	36	83	25,25	40	45	70	3/8"	9,00
DF60/30-400				400	600									9,70
DF60/30-450				450	650									10,40
DF60/30-500				500	700									11,00
DF60/30-600				600	800									12,40
DF60/30-700				700	900									13,70



Item no.	D	AL	A	Stroke	I	G	G1	IT	M	S	P	R	F	KG
DF70/40-200				200	410									10,45
DF70/40-250				250	460									11,37
DF70/40-300				300	510									12,31
DF70/40-350				350	560									13,30
DF70/40-400				400	610									14,22
DF70/40-450	80	70	40	450	660	50	45	82	30,25	50	55	80	3/8"	15,20
DF70/40-500				500	710									16,11
DF70/40-600				600	810									18,12
DF70/40-700				700	910									19,94
DF70/40-800				800	1010									21,50
DF70/40-900				900	1110									23,50
DF70/40-1000				1000	1210									25,30
DF80/40-200				200	410									13,26
DF80/40-250				250	460									14,46
DF80/40-300				300	510									15,54
DF80/40-350				350	560									17,62
DF80/40-400				400	610									18,00
DF80/40-500	92	80	40	500	710	60	42	70	30,25	50	55	90	3/8"	20,00
DF80/40-600				600	810									22,00
DF80/40-700				700	910									24,50
DF80/40-800				800	1010									26,50
DF80/40-900				900	1110									29,00
DF80/40-1000				1000	1210									31,00



Item no.	D	AL	A	Stroke	I	G	G1	IT	M	S	P	R	F	KG
DF100/50-200				200	425									21,50
DF100/50-300				300	525									25,00
DF100/50-400				400	625									29,00
DF100/50-500	115	100	50	500	725	66	45	75	30,25	60	70	115	1/2"	32,00
DF100/50-700				700	925									39,00
DF100/50-900				900	1125									46,00
DF100/50-1000				1000	1225									50,00

Double acting cylinder with long holed end plug/bush

Technical information:

All our cylinders are manufactured in EU.

Stroke: up to 1.000 millimetres. **Bore:** up to 100 milimetres. **Pressure:** up to 250 Bar.

Material information:

Tube: Steel - ST 52.3 DIN 2393 ISO H9

Rod: Steel - UNI C45 SAE 1045 - CROMO 25 Micron ± 5



TAON Hydraulic Components ApS are specialists in hydraulic solutions, components and tool.

TAON Hydraulic Components ApS • +45 24 48 84 80 • info@taon.dk • www.taon.dk

© TAON Hydraulic will always help you find the best solution.